

Version: 01

Revision Date: 04/07/2014

Print Date:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: SYR CS10 Fragranced Washroom Cleaner Sanitiser.

Contains:

- Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1).
- Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides
- Didecyldimethylammonium chloride

Contains Citronellol. May produce an allergic reaction.

1.2 Relevant identified uses of the substance or mixture and uses advised against

For trade, professional and industrial surface cleaning and disinfecting.

1.3 Details of the supplier of the safety data sheet

Scot Young research Ltd
Lye-by-Pass
Lye
Stourbridge
West Midlands
DY9 8HG
United Kingdom

Telephone number: +44(0)1384 892021
Fax: +44 (0)1384 421675
E-mail address: info@syrcclean.com

1.4 Emergency telephone number

Emergency telephone number: +44(0)1384 892021

NOTE: This number is only available during the following office hours: **0900 to 1700 Monday to Thursday; 0900 to 1500 Friday.**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 (CLP)

Skin Corrosion 1B; H314
Skin Sensitiser 1; H317

Version: 01

Revision Date: 04/07/2014

Print Date:

2.1.2 Classification according to Directive 1999/45/EC



Irritant; Xi; R36/38, R43

2.1.3 Additional information

For full text of R-phrases and Hazard- and EU Hazard- statements: See SECTION 16

2.2 Label elements

2.2.1 Labelling according to Regulation (EC) No 1272/2008 (CLP)

| | | | |
|---------------------------------|---|--|--|
| Pictograms |  |  | |
| Signal Word | Danger | | |
| Hazard Statements | H314 | Causes severe skin burns and eye damage. | |
| | H317 | May cause an allergic skin reaction. | |
| Precautionary Statements | <i>P260</i> | Do not breathe dust/fume/gas/mist/vapours/spray. | |
| | <i>P264</i> | Wash hands thoroughly after handling. | |
| | <i>P280</i> | Wear protective gloves/protective clothing/eye protection/face protection. | |
| | <i>P305 + P351+ P338</i> | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | |
| | <i>P310</i> | Immediately call a POISON CENTER or doctor/physician. | |
| | <i>P303 +P361 + P353</i> | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower | |
| | <i>P333 + P313</i> | If skin irritation or rash occurs: Get medical advice/attention. | |
| | <i>P301 + P330 + P331</i> | IF SWALLOWED: Rinse Mouth. Do NOT induce vomiting. | |
| | <i>P272</i> | Contaminated work clothing should not be allowed out of the workplace. | |
| | <i>P363</i> | Wash contaminated clothing before reuse. | |
| | <i>P405</i> | Store locked up. | |
| | <i>P501</i> | Dispose of contents/container in accordance with local/regional/national regulation. | |

2.2.2 Labelling according to Directive 1999/45/EC

See SECTION 16.

2.3 Other hazards

This mixture does not contain any substances that are assessed to be PBT or vPvB.

Version: 01

Revision Date: 04/07/2014

Print Date:

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture:

A mixture containing detergents, biocides, colouring agent, fragrance and alcohol solvent in water.

Hazardous ingredients:

| CAS No. | EC No. | Index No. | REACH Registration No. | % (weight) | Name | Classification according to Regulation (EC) No. 1278/2008 (CLP) | Classification according to 67/548/EEC |
|------------|-----------|--------------|------------------------|----------------|--|---|---|
| 7173-51-5 | 230-525-2 | 612-131-00-6 | 01-2119945987-15-xxxx | 1 - 3 | Didecyldimethylammonium chloride | Acute Tox. 4; H302. Skin Corr. 1B; H314. Aquatic Acute 1; H400. | Xn; R22. C; R34. N; R50. |
| 67-63-0 | 200-661-7 | 603-117-00-0 | 01-2119457558-25-xxxx | 5 - 10 | Isopropyl alcohol | Flam. Liq. 2; H225. Eye Irrit. 2; H319. STOT SE 3; H336 | F; R11. Xi; R36. R67. |
| 63449-41-2 | 264-151-6 | 612-140-00-5 | N/A | 1 – 4.5 | Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides | Met. Corr. 1; H290. Skin Corr. 1B; H314. Acute Tox. 4; H302. Acute Tox. 4; H312. Aquatic Acute 1; H400. | Xn; R21/22. C; R34. N; R50. |
| 55965-84-9 | N/A | 613-167-00-5 | N/A | 0.0015 – 0.005 | Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). | Acute Tox. 3; H301, H311, H331. Skin Corr. 1B; H314. Skin Sens. 1; H317 (SCL C _≥ 0.0015%). Aquatic Acute; H400. Aquatic Chronic; H410. | T; R23/24/25. C; R34. Xi; R43 (SCL C _≥ 0.0015%). N; R50/53. |
| 139734- | N/A | N/A | N/A | 0.1 – 0.5 | 1,3 Propanediamine, C10- | Acute Tox. 4; | Xn; R22. |

Version: 01

Revision Date: 04/07/2014

Print Date:

| | | | | | | | |
|----------|-----------|-----|-----------------------|-----------|--|---|--------------------------------|
| 65-9 | | | | | C16 alkyl derivatives, reaction product with 2-chloro acetic acids | H302. Skin Corr. 1C; H314. Aquatic Acute; H400. | C; R34. N; R50. |
| 106-22-9 | 203-375-0 | N/A | 01-2119453995-23-xxxx | 0.1 – 0.5 | Citronellol | Skin Irrit. 2; H315. Skin Sens. 1B; H317. Eye Irrit. 2; H319 | Xi; R38, R43. N; R51/53 |

N/A – Not available

SECTION 4: First aid measures

4.1 Description of first aid measures

First aid measures

Inhalation :

Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ingestion :

Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact :

Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye contact :

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Inhalation :

Irritation to the respiratory tract may result from overexposure to fumes, mist or vapour.

Version: 01

Revision Date: 04/07/2014

Print Date:

Ingestion :

Ingestion may cause nausea, burns and eventually vomiting and diarrhoea.

Skin :

Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. Adverse symptoms may include the following: burns, irritation, redness.

Eyes :

Adverse symptoms may include the following: pain or irritation, watering, redness. Small amounts splashed into eyes can cause irreversible tissue damage and blindness.

See SECTION 11 for more detailed information on health effects and symptoms.

4.3 Indications of any immediate medical attention and special treatment needed

Notes to physician :

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Show this Safety Data Sheet to the doctor in attendance.

Protection of first aid personnel

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

SECTION 5: *Firefighting measures*

5.1 Extinguishing media

Suitable :

Use water spray, fog or foam. Use an extinguishing agent suitable for the surrounding fire.

Not suitable :

Do not use water jet.

5.2 Special hazards arising from the substance or mixture

In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

In combustion emits toxic fumes.

5.3 Advice for firefighters

Special precautions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Version: 01

Revision Date: 04/07/2014

Print Date:

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency Procedures**

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8). Avoid breathing vapour or mist.

6.2 Environmental precautions

May be harmful to the environment if released in large quantities.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up**Small spill :**

Move containers from spill area. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container.

Large spill :

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Contaminated absorbent material may pose the same hazard as the spilled product.

6.4 Reference to other sections

Note: see SECTION 1 for emergency contact information and SECTION 13 for waste disposal.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

Persons with a history of skin sensitization problems should not be employed in any process in which this product is used.

Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store locked up in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully

Version: 01 Revision Date: 04/07/2014 Print Date:
 resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Not applicable.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

United Kingdom (UK) Workplace Exposure Limits

| Substance | CAS Number | Workplace exposure limit (WEL) | | | | Comment |
|-------------------|------------|--|--------------------|---|--------------------|---------|
| | | Long-term exposure limit (8-hr TWA reference period) | | Short-term exposure limit – STEL (15 minute reference period) | | |
| | | ppm | mg.m ⁻³ | ppm | mg.m ⁻³ | |
| Isopropyl alcohol | 67-63-0 | 400 | 999 | 500 | 1250 | - |

Derived No-Effect Levels' (DNEL's) and Predicted No-Effect Concentrations' (PNEC's)

DNELS

Ingredient name:

Propan-2-ol (Isopropyl alcohol)

| Exposure /Effects | DNELs | Population |
|--|-----------------------|------------|
| Long-term - systemic effects, Skin contact | 888 mg/kg bw/day | Workers |
| Long-term - systemic effects, Inhalation | 500 mg/m ³ | Workers |
| Long-term - systemic effects, Skin contact | 319 mg/kg bw/day | Consumers |
| Long-term - systemic effects, Inhalation | 89 mg/m ³ | Consumers |
| Long-term - systemic effects, Ingestion | 26 mg/kg bw/day | Consumers |

PNECs

Ingredient name :

Propan-2-ol (Isopropyl alcohol)

| Compartment Detail | PNECs |
|---------------------------------------|------------|
| Fresh water | 140.9 mg/l |
| Marine | 140.9 mg/l |
| Sewage Treatment Plant | 2251 mg/l |
| Soil | 28 mg/kg |
| Secondary poisoning. Related to, food | 160 mg/kg |
| Sediment. Related to, dry weight | 552 mg/kg |
| Intermittent Releases | 140.9 mg/l |

8.2 Exposure controls

Hygiene measures :

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Version: 01

Revision Date: 04/07/2014

Print Date:

Ensure that there is sufficient ventilation of the area.

Eye and face protection

Wear tightly fitting safety goggles, safety spectacles and/or Face shield (visor) with CE-label.

Skin protection

Wear chemical protective gloves according to DIN EN 374 with CE-labelling. Suitable materials include Nitrile rubber, NBR. Gloves for mechanical protection do not provide protection against chemicals.

Wear protective clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|-----------------------------|
| Appearance Physical state Colour | Clear liquid. Red |
| Odour | Floral |
| Odour threshold | No data. |
| pH | 6.7 – 8.1 at 20°C |
| Melting Point | Not applicable |
| Initial boiling point and boiling range | Approximately 100°C |
| Flash point | No data available |
| Evaporation rate | No data |
| Flammability | Not classified as flammable |
| Explosion limits Upper Lower | No data |
| Vapour pressure | No data |
| Vapour density | No data |
| Relative density | 1.0 |
| Solubility | Aqueous solution |
| Partition coefficient: n-octanol/water | No data |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | No data |
| Viscosity | Approximately 20 – 50 cps |
| Explosive properties | Not applicable |
| Oxidising properties | No data |

9.2 Other information

Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

The product is stable under normal conditions of storage and use.

Version: 01

Revision Date: 04/07/2014

Print Date:

10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

Do not store above 25°C.

Avoid release to the environment.

10.5 Incompatible materials

No specific data. Avoid strong oxidising agents.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. In combustion may emit toxic fumes.

SECTION 11: *Toxicological information*

11.1 Information on toxicological effects

No data is available on the product. Based on the hazardous substances in the mixture and their concentration the product has been assessed according to the calculation method of Regulation (EC) 1272/2008 (as amended).

a) Acute toxicity

Oral

Harmful if swallowed.

Dermal

Based on the available data on component substances, the classification criteria for acute dermal toxicity are not met.

Inhalation

Based on the available data on component substances, the classification criteria for acute inhalation toxicity are not met.

Other routes

No data.

(b) Skin corrosion/irritation

May cause severe skin burns.

(c) Serious eye damage/irritation

May cause serious damage to eyes.

(d) Respiratory or skin sensitization

May cause an allergic skin reaction. The following components are classified as skin sensitising and result in the product being classified as a skin sensitiser:-

- Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1).

Version: 01

Revision Date: 04/07/2014

Print Date:

Contains Citronellol which is a Category 1B skin sensitiser. Skin contact may produce an allergic reaction particularly in individuals already sensitised to this substance.

(e) Germ cell mutagenicity

Based on the available data on component substances, the classification criteria for germ cell mutagenicity are not met.

(f) Carcinogenicity

Based on the available data on component substances, the classification criteria for carcinogenicity are not met.

(g) Reproductive toxicity

Based on the available data on component substances, the classification criteria for reproductive toxicity are not met.

(h) STOT-single exposure

Based on the available data on component substances, the classification criteria for specific target organ toxicity as a result of single exposure are not met

(i) STOT-repeated exposure

Based on the available data on component substances, the classification criteria for specific target organ toxicity as a result of repeated exposure are not met.

(j) Aspiration hazard

Based on the available data on component substances, the classification criteria for aspiration hazard are not met.

Other information

No applicable toxicity data. No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the product. Based on the hazardous substances in the mixture and their concentration the product has been assessed according to the calculation method of Regulation (EC) 1272/2008 (as amended).

The product is not classified as toxic to aquatic life.

12.2 Persistence and degradability

| Substance | Biodegradability |
|--|-----------------------|
| Propan-2-ol | Readily biodegradable |
| Didecyldimethylammonium chloride | Biodegradable |
| Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides | Biodegradable |

12.3 Bioaccumulative potential

| Substance | Bioaccumulative potential |
|--|---------------------------------|
| Didecyldimethylammonium chloride | Not expected to bioaccumulate |
| Propan-2-ol | Not expected to bioaccumulate |
| Quaternary ammonium compounds, benzyl-C8-18-alkyldimethyl, chlorides | Low potential to bioaccumulate. |

Version: 01

Revision Date: 04/07/2014

Print Date:

12.4 Mobility in soil

| Substance | Mobility in soil |
|-------------|---------------------------------|
| Propan-2-ol | Mobile in the water environment |

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be PBT or vPvB.

12.6 Other adverse effects

No known other adverse effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Methods of disposal :

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste :

The classification of the product may meet the criteria for a hazardous waste.

SECTION 14: Transport information

14.1 UN number

| | |
|-----------|------|
| ADR | 1760 |
| RID | 1760 |
| ADN/ADNR | 1760 |
| ICAO/IATA | 1760 |
| IMO/IMDG | 1760 |

14.2 UN proper shipping name

| | UN proper shipping name | Technical name |
|-----|--------------------------|--|
| ADR | CORROSIVE LIQUID, N.O.S. | CORROSIVE LIQUID, N.O.S. (BENZYL-C8-18-ALKYLDIMETHYL, CHLORIDES. DIDECYLDIMETHYLAMMONIUM CHLORIDE. QUATERNARY AMMONIUM COMPOUNDS.) |
| RID | CORROSIVE LIQUID, N.O.S. | CORROSIVE LIQUID, N.O.S. (BENZYL-C8-18-ALKYLDIMETHYL, CHLORIDES. DIDECYLDIMETHYLAMMONIUM CHLORIDE. |

Version: 01

Revision Date: 04/07/2014

Print Date:

| | | |
|-----------|--------------------------|--|
| ADN/ADNR | CORROSIVE LIQUID, N.O.S. | QUATERNARY AMMONIUM COMPOUNDS, CORROSIVE LIQUID, N.O.S. (BENZYL-C8-18-ALKYLDIMETHYL, CHLORIDES. DIDECYLDIMETHYLAMMONIUM CHLORIDE. QUATERNARY AMMONIUM COMPOUNDS,) |
| ICAO/IATA | CORROSIVE LIQUID, N.O.S. | CORROSIVE LIQUID, N.O.S. (BENZYL-C8-18-ALKYLDIMETHYL, CHLORIDES. DIDECYLDIMETHYLAMMONIUM CHLORIDE. QUATERNARY AMMONIUM COMPOUNDS,) |
| IMO/IMDG | CORROSIVE LIQUID, N.O.S. | CORROSIVE LIQUID, N.O.S. (BENZYL-C8-18-ALKYLDIMETHYL, CHLORIDES. DIDECYLDIMETHYLAMMONIUM CHLORIDE. QUATERNARY AMMONIUM COMPOUNDS,) |

14.3 Transport hazard class(es)

| | |
|-----------|---|
| ADR | 8 |
| RID | 8 |
| ADN/ADNR | 8 |
| ICAO/IATA | 8 |
| IMO/IMDG | 8 |

14.4 Packing group

| | |
|-----------|-----|
| ADR | III |
| RID | III |
| ADN/ADNR | III |
| ICAO/IATA | III |
| IMO/IMDG | III |

14.5 Environmental hazards

Environmentally hazardous and/or Marine Pollutant : **No**

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: *Regulatory information*

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

CLP – Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

Version: 01

Revision Date: 04/07/2014

Print Date:

REACH Status

The substance(s) in this product has (have) been pre-registered, registered or are exempt according to Regulation (EC) No. 1907/2006 (REACH).

SEVESO II Directive 96/82/EC (as amended).

Detergent Regulation [Regulation (EC) No 648/2004]

Product ingredients include:-

- < 5 w%
 - Amphoteric surfactants, non-ionic surfactants. Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), perfumes.

UK Regulations

COSHH – Control of Substances Hazardous to Health Regulations 2002 (as amended).

COMAH – Control of Major Accidents Hazards Regulations 1999 (as amended).


CHIP – The Chemical (Hazard Information and Packaging for Supply) Regulations 2009

15.2 Chemical safety assessment

Chemical safety assessments have been completed by the substance Registrants for some of the components of this product.

SECTION 16: Other information

Labelling according to Directive 1999/45/EC

| | | | |
|-----------------------------|---|---|--|
| Symbols |  | | |
| Indication of Danger | Irritant. | | |
| | R36/38 | Irritating to respiratory system and skin. | |
| | R43 | May cause sensitisation by skin contact. | |
| Safety Phrases | S23 | Do not breathe gas/fumes/vapour/spray. | |
| | S36/37/39 | Wear suitable protective clothing, gloves and eye/face protection. | |
| | S26 | In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. | |
| | S45 | In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). | |
| | S46 | If swallowed, seek medical advice immediately and show this container or label. | |
| | S27/28 | After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. | |
| | S61 | Avoid release to the environment. Refer to special instructions/safety data sheets. | |

Full text of abbreviated H statements

| | |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H290 | May be corrosive to metals. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |

Version: 01

Revision Date: 04/07/2014

Print Date:

| | |
|------|---|
| H311 | Toxic in contact with skin. |
| H331 | Toxic if inhaled. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Full text of classifications (CLP)

Flammable liquid, Category 2; H225
 Corrosive to metals, Category 1; H290
 Acute toxicity, Category 3; H301, H311, H331
 Acute toxicity, Category 4; H302, H312
 Skin corrosion, Category 1B; H314
 Skin sensitiser, Category 1; H317
 Eye Irritant, Category 2, H319
 Skin Irritant, Category 2; H315

STOT- Single Exposure, Category 3; H336
 Aquatic acute, Category 1; H400
 Aquatic chronic, Category 1; H410

Full text of abbreviated R phrases

| | |
|-----------|--|
| R11 | Highly flammable |
| R21/22 | Harmful by inhalation and in contact with skin. |
| R22 | Harmful if swallowed. |
| R23/24/25 | Toxic by inhalation, in contact with skin and if swallowed. |
| R34 | Causes burns. |
| R36 | Irritating to eyes |
| R38 | Irritating to skin. |
| R43 | May cause sensitisation by skin contact. |
| R67 | Vapours may cause drowsiness and dizziness. |
| R50 | Very toxic to aquatic organisms. |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |

Full text of classification (DSD/DPD)

| | |
|----|-------------------------------|
| F | Highly flammable |
| T | Toxic |
| Xn | Harmful |
| Xi | Irritant |
| C | Corrosive |
| N | Dangerous for the environment |

Version: 01

Revision Date: 04/07/2014

Print Date:

Other abbreviations

PBT : Persistent, bioaccumulative and toxic.
 vPvB : Very persistent and very bioaccumulative.

| History | |
|--------------------------------|-------------------------------|
| Date of printing | |
| Date of issue/Date of revision | 04/07/2014 |
| Date of previous issue | Not applicable ⁽¹⁾ |
| Version | 01 |

Note (1) – New SDS for CLP/GHS compliant product labelling.

Safety Data Sheet complied according to Regulation (EC) No. 1907 (as Amended).

Notice to readers

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality

specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SDS Approved By:



David Lane

Date: 04/07/2014