

Version: 03

Revision Date: 20/03/2014

Print Date:

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: SYR Scrub Clean Solution

Contains:

- Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1).
- 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts
- Alcohol ethoxylate

1.2 Relevant identified uses of the substance or mixture and uses advised against

For trade, professional and industrial surface cleaning.

Use advised against : uses other than those are not recommended.

1.3 Details of the supplier of the safety data sheet

Scot Young research Ltd
Lye-by-Pass
Lye
Stourbridge
West Midlands
DY9 8HG
United Kingdom

Telephone number: +44(0)1384 892021
Fax: +44 (0)1384 421675
E-mail address: info@syrcclean.com

1.4 Emergency telephone number

Emergency telephone number: +44(0)1384 892021

NOTE: This number is only available during the following office hours: **0900 to 1700 Monday to Thursday; 0900 to 1500 Friday.**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 (CLP)

Skin Sensitiser 1; H317
Eye Damage 1; H318

Version: 03

Revision Date: 20/03/2014

Print Date:

2.1.2 Classification according to Directive 1999/45/EC



Irritant; Xi; R41, R43

2.1.3 Additional information

For full text of R-phrases and Hazard- and EU Hazard- statements: See SECTION 16

2.2 Label elements

2.2.1 Labelling according to Regulation (EC) No 1272/2008 (CLP)

Pictograms			
Signal Word	Danger		
Hazard Statements	H317	May cause an allergic skin reaction.	
	H318	Causes serious eye damage.	
Precautionary Statements	P280	Wear protective gloves/protective clothing/eye protection/face protection.	
	P305 + P351+ P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	P302 + P352	IF ON SKIN: Wash with plenty of soap and water.	
	P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.	
	P272	Contaminated work clothing should not be allowed out of the workplace.	
	P363	Wash contaminated clothing before reuse.	
	P501	Dispose of contents/container in accordance with local/regional/national regulation.	

2.2.2 Labelling according to Directive 1999/45/EC

See SECTION 16.

2.3 Other hazards

This mixture does not contain any substances that are assessed to be PBT or vPvB.

Version: 03

Revision Date: 20/03/2014

Print Date:

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture:

A mixture of detergents, surfactants, glycol ether solvent in water.

Hazardous ingredients:

CAS No.	EC No.	Index No.	REACH Registration No.	% (weight)	Name	Classification according to Regulation (EC) No. 1278/2008 (CLP)	Classification according to 67/548/EEC
61789-40-0	263-058-8	N/A	N/A	10 - 15	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Skin Irrit. 2; H315. Eye Dam. 1; H318. Aquatic Acute 1; H400	Xi; R41.
111-76-2	203-905-0	603-014-00-0	01-2119475108-36-xxxx	5 - 10	2-Butoxyethanol	Acute Tox. 4; H302, H312, H332. Skin Irrit. 2; H315. Eye Irrit. 2; H319.	Xn; R20/21/22. Xi; R36/38.
1300-72-7	215-090-9	N/A	01-2119513350-56-xxxx	1 - 5	Sodium xylenesulphonate	Eye Irrit. 2; H319	Xi; R36
68439-45-2	N/A	N/A	N/A	1 - 5	Alcohol ethoxylate	Acute Tox. 4; H302. Eye Dam. 1; H318.	Xn; R22. Xi; R41.
68650-39-5	272-043-5	N/A	N/A	1 - 5	Imidazolium compounds, 1-[2-(carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-norcoco alkyl, hydroxides, sodium salts	Skin Irrit. 2; H315. Eye Irrit 2; H319	Xi: R36/38.
55965-84-9	N/A	613-167-00-5	N/A	0.0015 – 0.005	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1).	Acute Tox. 3; H301, H311, H331. Skin Corr. 1B; H314.	T; R23/24/25. C: R34. Xi; R43 (SCL C≥ 0.0015%).

Scot Young Research Ltd Safety Data Sheet
(In accordance to Regulation (EC) No 1272/2008)

Version: 03

Revision Date: 20/03/2014

Print Date:

						Skin Sens. 1; H317 (SCL C ₂ ≥ 0.0015%). Aquatic Acute; H400. Aquatic Chronic; H410.	N; R50/53.
--	--	--	--	--	--	--	------------

N/A – Not applicable

SECTION 4: *First aid measures*

4.1 Description of first aid measures

First aid measures

Inhalation :

Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ingestion :

Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact :

Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye contact :

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Inhalation :

No known significant effects or critical hazards. No specific data.

Ingestion :

No known significant effects or critical hazards. No specific data.

Version: 03

Revision Date: 20/03/2014

Print Date:

Skin :

Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. Adverse symptoms may include the following: burns, irritation, redness.

Eyes :

Adverse symptoms may include the following: pain or irritation, watering, redness. Small amounts splashed into eyes can cause irreversible tissue damage.

See SECTION 11 for more detailed information on health effects and symptoms.

4.3 Indications of any immediate medical attention and special treatment needed

Notes to physician :

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Show this Safety Data Sheet to the doctor in attendance.

Protection of first aid personnel

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

SECTION 5: *Firefighting measures*

5.1 Extinguishing media

Suitable :

Use water spray, fog or foam. Use an extinguishing agent suitable for the surrounding fire.

Not suitable :

Do not use water jet.

5.2 Special hazards arising from the substance or mixture

In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

In combustion emits toxic fumes.

5.3 Advice for firefighters

Special precautions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Version: 03

Revision Date: 20/03/2014

Print Date:

SECTION 6: *Accidental release measures*

6.1 Personal precautions, protective equipment and emergency Procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when

ventilation is inadequate. Put on appropriate personal protective equipment (see section 8). Avoid breathing vapour or mist.

6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill :

Move containers from spill area. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container.

Large spill :

Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations . Contaminated absorbent material may pose the same hazard as the spilled product.

6.4 Reference to other sections

Note: see SECTION 1 for emergency contact information and SECTION 13 for waste disposal.

SECTION 7: *Handling and storage*

7.1 Precautions for safe handling

Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

Persons with a history of skin sensitization problems should not be employed in any process in which this product is used.

Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept

Version: 03 Revision Date: 20/03/2014 Print Date:
 tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Not applicable.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

United Kingdom (UK) Workplace Exposure Limits

Substance	CAS Number	Workplace exposure limit (WEL)				Comment
		Long-term exposure limit (8-hr TWA reference period)		Short-term exposure limit – STEL (15 minute reference period)		
		ppm	mg.m ⁻³	ppm	mg.m ⁻³	
2-Butoxyethanol	111-76-2	25	123	50	246	Sk; BMGV

Notes:

BMGV:- Biological Monitoring Guidance Value (2-Butoxyethanol:- 240 mmol butoxyacetic acid/mol creatinine in urine).

Sk:- Can be absorbed through skin.

Derived No-Effect Levels' (DNEL's) and Predicted No-Effect Concentrations' (PNEC's)

DNELS

No information available.

PNECS

No information available.

8.2 Exposure controls

Hygiene measures :

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure that there is sufficient ventilation of the area.

Version: 03 Revision Date: 20/03/2014 Print Date:

Eye and face protection

Wear tightly fitting safety goggles or safety spectacles.

Skin protection

Wear chemical protective gloves according to DIN EN 374 with CE-labelling. Suitable materials include Nitrile rubber, NBR. Gloves for mechanical protection do not provide protection against chemicals.

Wear protective clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Physical state Colour	Clear gold coloured liquid.
Odour	Solvent, floral.
Odour threshold	No data.
pH	6.5 – 7.5
Melting Point	Not applicable
Initial boiling point and boiling range	Approximately 100°C
Flash point	No data
Evaporation rate	No data
Flammability	Not classified as flammable
Explosion limits Upper Lower	No data
Vapour pressure	No data
Vapour density	No data
Relative density	1.05 – 1.08
Solubility	Highly soluble and miscible in water
Partition coefficient: n-octanol/water	No data
Auto-ignition temperature	Not applicable
Decomposition temperature	No data
Viscosity	Newtonian
Explosive properties	Not applicable
Oxidising properties	No data

9.2 Other information

Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

Version: 03

Revision Date: 20/03/2014

Print Date:

The product is stable under normal conditions of storage and use.

10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

Do not store above 25°C.

Avoid release to the environment.

10.5 Incompatible materials

No specific data. Avoid strong oxidising agents.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. In combustion may emits toxic fumes.

SECTION 11: *Toxicological information*

11.1 Information on toxicological effects

No data is available on the product. Based on the hazardous substances in the mixture and their concentration the product has been assessed according to the calculation method of Regulation (EC) 1272/2008 (as amended).

a) Acute toxicity

Oral

Based on the available data on component substances, the classification criteria for acute oral toxicity are not met.

Dermal

Based on the available data on component substances, the classification criteria for acute dermal toxicity are not met.

Inhalation

Based on the available data on component substances, the classification criteria for acute inhalation toxicity are not met.

Other routes

No data.

(b) Skin corrosion/irritation

Based on the available data on component substances, the classification criteria for skin corrosion or irritation are not met.

(c) Serious eye damage/irritation

May cause serious damage to eyes.

Version: 03

Revision Date: 20/03/2014

Print Date:

(d) Respiratory or skin sensitization

May cause an allergic skin reaction. The following components are classified as skin sensitising and result in the product being classified as a skin sensitiser:-

- Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1).

(e) Germ cell mutagenicity

Based on the available data on component substances, the classification criteria for germ cell mutagenicity are not met.

(f) Carcinogenicity

Based on the available data on component substances, the classification criteria for carcinogenicity are not met.

(g) Reproductive toxicity

Based on the available data on component substances, the classification criteria for reproductive toxicity are not met.

(h) STOT-single exposure

Based on the available data on component substances, the classification criteria for specific target organ toxicity as a result of single exposure are not met.

(i) STOT-repeated exposure

Based on the available data on component substances, the classification criteria for specific target organ toxicity as a result of repeated exposure are not met.

(j) Aspiration hazard

Based on the available data on component substances, the classification criteria for aspiration hazard are not met.

Other information

No applicable toxicity data. No known significant effects or critical hazards.

SECTION 12: *Ecological information*

12.1 Toxicity

No data is available on the product. Based on the hazardous substances in the mixture and their concentration the product has been assessed according to the calculation method of Regulation (EC) 1272/2008 (as amended).

The product is not classified as dangerous for the environment.

12.2 Persistence and degradability

Substance	Biodegradability
2-Butoxyethanol	Biodegradable
Sodium xylenesulphonate	Biodegradable

12.3 Bioaccumulative potential

Version: 03

Revision Date: 20/03/2014

Print Date:

No information.

12.4 Mobility in soil

Substance	Mobility in soil
2-Butoxyethanol	Soluble in water
Sodium xylenesulphonate	Soluble in water

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be PBT or vPvB.

12.6 Other adverse effects

No known other adverse effects.

SECTION 13: *Disposal considerations*

13.1 Waste treatment methods

Methods of disposal :

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste :

The classification of the product may meet the criteria for a hazardous waste.

SECTION 14: *Transport information*

This product does not require a classification for transport.

14.1 UN number

Not applicable.

14.2 UN proper shipping name

Not applicable.

14.3 Transport hazard class(es)

Not applicable.

Version: 03 Revision Date: 20/03/2014 Print Date:

14.4 Packing group

Not applicable.

14.5 Environmental hazards

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

CLP – Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

REACH Status

The substance(s) in this product has (have) been pre-registered, registered or are exempt according to Regulation (EC) No. 1907/2006 (REACH).

SEVESO II Directive 96/82/EC (as amended).

Detergent Regulation [Regulation (EC) No 648/2004]

Product ingredients include:-

- 5-15 w%
 - Amphoteric surfactant.
- < 5 w%
 - Amphoteric surfactants, non-ionic surfactants, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), perfumes.

UK Regulations

COSHH – Control of Substances Hazardous to Health Regulations 2002 (as amended).

COMAH – Control of Major Accidents Hazards Regulations 1999 (as amended).

CHIP – The Chemical (Hazard Information and Packaging for Supply) Regulations 2009

15.2 Chemical safety assessment

Chemical safety assessments have been completed by the substance Registrants for some of the components of this product.


Version: 03

Revision Date: 20/03/2014

Print Date:

SECTION 16: Other information

Labelling according to Directive 1999/45/EC

Symbols			
Indication of Danger	Irritant.		
Risk Phrases	R41	Risk of serious damage to eyes.	
	R43	May cause sensitisation by skin contact.	
Safety Phrases	S23	Do not breathe gas/fumes/vapour/spray.	
	S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.	
	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.	
	S27/28	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.	
	S61	Avoid release to the environment. Refer to special instructions/safety data sheets.	

Full text of abbreviated H statements

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H314	Causes severe burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Full text of classifications (CLP)

Acute toxicity, Category 3; H301, H311, H331

Acute toxicity, Category 4; H302, H312, H332

Skin corrosion, Category 1B; H314

Skin sensitiser, Category 1; H317

Eye Damage, Category 1, H318

Skin Irritant, Category 2; H315

Aquatic acute, Category 1; H400

Aquatic chronic, Category 1; H410

Full text of abbreviated R phrases

R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.

Scot Young Research Ltd Safety Data Sheet
(In accordance to Regulation (EC) No 1272/2008)

Version: 03 Revision Date: 20/03/2014 Print Date:

R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R34	Causes burns.
R36/38	Irritating to eyes and skin.
R36	Irritating to eyes
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.
R50	Very toxic to aquatic organisms.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Full text of classification (DSD/DPD)

T	Toxic
Xn	Harmful
Xi	Irritant
C	Corrosive
N	Dangerous for the environment

Other abbreviations

PBT : Persistent, bioaccumulative and toxic.
vPvB : Very persistent and very bioaccumulative.

History	
Date of printing	
Date of issue/Date of revision	17/03/2014
Date of previous issue	Not applicable ⁽¹⁾
Version	01

Note (1) – New SDS for CLP/GHS compliant product labelling.

Safety Data Sheet complied according to Regulation (EC) No. 1907 (as Amended).

Notice to readers

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Written: NK Matharu Bsc., C.Sci., C.Chem., M.R.S.C



Signed:

26.3.14

Date: